



BUTYL ACETATE

TECHNICAL DATA SHEET

PRODUCT NUMBER	DESCRIPTION
M650-5107	BUTYL ACETATE

PRODUCT DESCRIPTION:

Butyl Acetate

ADVANTAGES:

1. Reduces viscosity
2. Improves flow
3. Required clean up solvent

PHYSICAL PROPERTIES AND SPECIFICATIONS

Technology	Solvent; n-butyl acetate
Color	Clear
Sheen	N/A
Viscosity	N/A
WPG	7.365927518 lbs/gal
Solids by Volume	0.000000000 ±1%
Solids by Weight	0.000000000 ±1%
Flash Point	81.000000000 °F
HMIS	H: 2, F: 3, R: 0, P: X
Coating VOC (g/l)	882.629630772 g/l
Coating VOC (Lb/Gal)	7.365927518 lbs/gal
Material VOC (g/l)	882.629630772 g/l
Material VOC (Lb/Gal)	7.365927518 lbs/gal
#VOC/#Solid	0.000000000 lbs/lbs solid
VHAP Ratio (#VHAP/#Solid)	0.000000000
Spread Rate	0.000000000 sq. ft./gal @ 1.0 mil DFT (no loss)
Catalyst/Ratio	N/A
Reducer	N/A
Retarder	N/A
AirDry	N/A
Oven Dry	N/A
Shelf-Life (Unopened)	36 months
Pot-Life (Catalyzed)	N/A
Recoat Instruction	N/A
PH	N/A

DIRECTIONS:

Use with Mohawk AristoThane coating for reduction and equipment clean up. Add 4-5 ounces for spray application.

The data on this sheet are calculated values (as formulated) and will not represent exact values for every product. For Safety and Other Precautions, read the SDS before using the product. SDS are available upon request. If Safety Data Sheet is required, contact: Mohawk Finishing Products, a Division of RPM Wood Finishes Group, Inc.; P.O. Box 22000 Hickory, NC 28603; Phone: 1-800-545-0047; Fax: 1-800-721-1545.

Drying times and viscosities reported are as tested under laboratory conditions (77°F (25°C)) with relative humidity of approximately 45%. Changes in temperature and humidity will affect product data.

It is the user's responsibility to verify product compliance with all applicable regulations or permits before proceeding with use. Always pretest any finishing products to verify suitability to the desired use before proceeding with any application. Manufacturer makes no warranties, express or implied, including (but not limited to) warranties of merchantability and fitness for particular purposes. Manufacturer will not be liable for any incidental, consequential or special damages or losses derived, directly or indirectly, from or as a consequence of purchaser's use of this product.

TDS. Mohawk Finishing Products, Division of RPM Wood Finishes Group, Inc. All rights reserved.