



# ENDURAGREEN WATERBORNE EXTERIOR WHITE SEALER 5 GAL

## TECHNICAL DATA SHEET

PRODUCT NUMBER	DESCRIPTION
M642-30008	ENDURAGREEN WATERBORNE EXTERIOR WHITE SEALER 5 GAL

### PRODUCT DESCRIPTION:

N/A

### PHYSICAL PROPERTIES AND SPECIFICATIONS

Technology	Waterborne Acrylic
Color	White
Sheen	Flat
Viscosity	23 +/-2 Seconds #3 Signature Zahn Cup @ 77 F
WPG	12.723779841 lbs/gal
Solids by Volume	42.433194588 ±1%
Solids by Weight	62.412967123 ±1%
Flash Point	200.000000000 °F
HMIS	H: 2, F: 1, R: 0, P: X
Coating VOC (g/l)	59.207603845 g/l
Coating VOC (Lb/Gal)	0.494113163 lbs/gal
Material VOC (g/l)	26.889732550 g/l
Material VOC (Lb/Gal)	0.224363257 lbs/gal
#VOC/#Solid	0.028258197 lbs/lbs solid
VHAP Ratio (#VHAP/#Solid)	0.000000000
Spread Rate	680.628441192 sq. ft./gal @ 1.0 mil DFT (no loss)
Catalyst/Ratio	None
Reducer	Ready to use as is. May add small amount of water if needed.
Retarder	None required
AirDry	20-30 Minutes to handle @ 75F and 45% relative humidity
Oven Dry	3 Minutes to 110 BST, Cool and stack
Shelf-Life (Unopened)	6 months
Pot-Life (Catalyzed)	N/A
Recoat Instruction	Scuff sand prior to recoat.
PH	9.1

The data on this sheet are calculated values (as formulated) and will not represent exact values for every product. For Safety and Other Precautions, read the SDS before using the product. SDS are available upon request. If Safety Data Sheet is required, contact: Mohawk Finishing Products, a Division of RPM Wood Finishes Group, Inc.; P.O. Box 22000 Hickory, NC 28603; Phone: 1-800-545-0047; Fax: 1-800-721-1545.

*Drying times and viscosities reported are as tested under laboratory conditions (77°F (25°C)) with relative humidity of approximately 45%. Changes in temperature and humidity will affect product data.*

*It is the user's responsibility to verify product compliance with all applicable regulations or permits before proceeding with use. Always pretest any finishing products to verify suitability to the desired use before proceeding with any application. Manufacturer makes no warranties, express or implied, including (but not limited to) warranties of merchantability and fitness for particular purposes. Manufacturer will not be liable for any incidental, consequential or special damages or losses derived, directly or indirectly, from or as a consequence of purchaser's use of this product.*

TDS. Mohawk Finishing Products, Division of RPM Wood Finishes Group, Inc. All rights reserved.